

STIC Search Report

Biotech-Chem Library

STIC Database Tracking Number: 127299

**TO: Shailendra Kumar
Location: 5d61 / 5c18
Art Unit: 1621
Thursday, July 22, 2004**

Case Serial Number: 10/613785

**From: Noble Jarrell
Location: Biotech-Chem Library
Rem 1B71
Phone: 272-2556**

Noble.jarrell@uspto.gov

Search Notes

Access DB# 127299

SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: S. Kumar Examiner #: 64594 Date: 7/15/04
 Art Unit: 1621 Phone Number 30 273 0640 Serial Number: 10163785
 Mail Box and Bldg/Room Location: REM 5061 Results Format Preferred (circle): PAPER DISK E-MAIL
5018


If more than one search is submitted, please prioritize searches in order of need.

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: 3-Phenyl-propionamido, 3-Phenyl-acrylamido and 3-Phenyl-acylamido
 Inventors (please provide full names): Sydney Jolidon et al

Earliest Priority Filing Date: 7/15/02

For Sequence Searches Only Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.



RECEIVED
 JUL 15 2004
 (STIC)

STAFF USE ONLY

Searcher: <u>Noble</u>	Type of Search	Vendors and cost where applicable
Searcher Phone #: _____	NA Sequence (#) _____	STN <u>393</u>
Searcher Location: _____	AA Sequence (#) _____	Dialog _____
Date Searcher Picked Up: <u>7/21/04</u>	Structure (#) <u>2</u>	Questel/Orbit _____ (OLIS)
Date Completed: <u>7/22/04</u>	Bibliographic _____	Dr. Link _____
Searcher Prep & Review Time: <u>40</u>	Litigation _____	Lexis/Nexis _____
Clerical Prep Time: _____	Fulltext _____	Sequence Systems _____
Online Time: <u>40</u>	Patent Family _____	WWW/Internet _____
	Other _____	Other (specify) _____


FILE 'REGISTRY' ENTERED AT 09:22:57 ON 22 JUL 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

```
STRUCTURE FILE UPDATES:    21 JUL 2004    HIGHEST RN 714195-59-2
DICTIONARY FILE UPDATES:  21 JUL 2004    HIGHEST RN 714195-59-2
```


Please note that search-term pricing does apply when conducting SmartSELECT searches.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>


L1 STR



```
STEREO ATTRIBUTES: NONE
L2          8533 SEA FILE=REGISTRY SSS FUL L1
L3          STR
```



Page 1-A



Page 2-A

VAR G1=NH2/12

VAR G2=AK/CN/21/X/23/26/29/32/35/64/65/66/67/68

VAR G3=H/X

NODE ATTRIBUTES:

CONNECT IS M1 RC AT 23

CONNECT IS M1 RC AT 26

CONNECT IS M1 RC AT 29

CONNECT IS M1 RC AT 32

CONNECT IS M1 RC AT 35

CONNECT IS M1 RC AT 44

CONNECT IS M1 RC AT 47

CONNECT IS M1 RC AT 50

CONNECT IS M1 RC AT 54

CONNECT IS M1 RC AT 59

DEFAULT MLEVEL IS ATOM

GGCAT IS MCY UNS AT 1

DEFAULT ECLEVEL IS LIMITED

ECOUNT IS E6 C AT 1

GRAPH ATTRIBUTES:

RSPEC 16

NUMBER OF NODES IS 67

STEREO ATTRIBUTES: NONE

L5 18 SEA FILE=REGISTRY SUB=L2 CSS FUL L3

100.0% PROCESSED 8533 ITERATIONS

18 ANSWERS

SEARCH TIME: 00.00.01

=> d his

(FILE 'HOME' ENTERED AT 08:00:10 ON 22 JUL 2004)

FILE 'REGISTRY' ENTERED AT 08:00:16 ON 22 JUL 2004

ACT KUMAR785FUL/A

L1 STR
L2 8533 SEA FILE=REGISTRY SSS FUL L1
L3 STR L1
L4 0 L3 CSS SAM SUB=L2
L5 18 L3 CSS FULL SUB=L2
SAVE TEMP KUMAR785SUB/A L5

FILE 'HCAPLUS' ENTERED AT 08:36:02 ON 22 JUL 2004

L6 3 L5
E JOLIDON S/AU
L7 40 E3-4
E RODRIGUEZ SARMIENTO R/AU
L8 15 E4-5
E THOMAS A/AU
L9 976 E3,E45
E THOMAS ANDREW/AU
L10 48 E3,E19-20
E WOSTL W/AU
L11 32 E3-4
E WYLER R/AU
L12 71 E3-5
L13 14992 (HOFFMANN (L) LA ROCHE)/CS,PA
L14 1 L6 AND L7-12
L15 1 L6 AND L13
L16 1 L14-15
L17 2 L6 NOT L16
L18 2 L17 AND (PY<=2003 OR AY<=2003 OR PRY<=2003 OR PD<20030707 OR AD

FILE 'USPATFULL, USPAT2' ENTERED AT 08:41:46 ON 22 JUL 2004

L19 1 L5
E JOILDON S/AU
E JOLIDON S/AU
L20 31 E4-5
E RODRIGUEX SARMIENTO R/AU
E RODRIGUEZ SARMIENTO R/AU
L21 9 E4
E THOMAS A/AU
E THOMAS ANDREW/AU
L22 38 E3,E14-15

L23 E WOSTL W/AU
31 E4-5
E WYLER R/AU
L24 40 E4
L25 3235 (HOFFMAN? (L) LA ROCHE)/CS,PA
L26 1 L19 AND L20-24
L27 0 L19 AND L25

FILE 'HCAOLD' ENTERED AT 08:45:10 ON 22 JUL 2004
L28 0 L5

FILE 'BEILSTEIN' ENTERED AT 08:45:23 ON 22 JUL 2004
L29 1982 L1 FULL
L30 1 L3 CSS FULL SUB=L29

FILE 'BEILSTEIN' ENTERED AT 08:50:15 ON 22 JUL 2004
L31 0 L30 AND RN/FA

FILE 'HCAPLUS' ENTERED AT 08:50:35 ON 22 JUL 2004
L32 17205 (HOFFMAN OR LA ROCHE OR LAROCHE)/CS,PA
L33 1 L32 AND L6

FILE 'USPATFULL, USPAT2' ENTERED AT 08:51:34 ON 22 JUL 2004
L34 3546 (HOFFMAN OR LA ROCHE OR LAROCHE)/CS,PA
L35 0 L19 AND L34

FILE 'HCAPLUS' ENTERED AT 09:22:20 ON 22 JUL 2004
L36 1 L33 OR L16

=> b hcap

FILE 'HCAPLUS' ENTERED AT 09:23:20 ON 22 JUL 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Jul 2004 VOL 141 ISS 4
FILE LAST UPDATED: 21 Jul 2004 (20040721/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

'OBI' IS DEFAULT SEARCH FIELD FOR 'HCAPLUS' FILE

=> d bib abs fhitrn hitrn l36

L36 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2004 ACS on STN
AN 2004:60452 HCAPLUS
DN 140:128156
TI Preparation of cinnamide derivatives useful as selective MAO-B inhibitors

Searched by Noble Jarrell

IN Jolidon, Synese; Rodriguez, Sarmiento Rosa Maria;
Thomas, Andrew William; Wostl, Wolfgang; Wyler,
Rene

PA F. Hoffmann-La Roche AG, Switz.

SO PCT Int. Appl., 28 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004007429	A1	20040122	WO 2003-EP7231	20030707
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	US 2004034096	A1	20040219	US 2003-613785	20030703
PRAI	EP 2002-15583	A	20020715		
OS	MARPAT 140:128156				
GI					


* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The invention refers to cinnamide derivs. of formula I [wherein: R1 = alkyl, halogen, halogenoalkyl, CN, alkoxy, halogenoalkoxy; R21, R22, R23, R24 = H or F; R3 = H, alkyl; A = -C(R4):C(R5)-, -C(R4)(R6)-C(R7)(R5)-, or -C.tplbond.C-; R4, R5, R6, R7 = H, alkyl; n = 1-3] useful for treatment and prevention of diseases mediated by MAO-B inhibitors. Compds. I are especially useful for the treatment of Alzheimer's disease and senile dementia. For instance, compound II (example 1, IC50 = 0.083 .mu.mol for human MAO-B; >10,000 for human MAO-A) was prepared via etherification of 4-iodophenol by 3-fluorobenzyl bromide, Sonogashira reaction of CH2:C(Me)CO2Me with obtained compound III, subsequent hydrolysis and amidation.

IT **649740-29-4P**, 3-[4-(3-Fluorobenzoyloxy)phenyl]-2-methylacrylamide
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (preparation of cinnamide derivs. useful as MAO-B inhibitors)

RN 649740-29-4 HCAPLUS

CN 2-Propenamide, 3-[4-[(3-fluorophenyl)methoxy]phenyl]-2-methyl- (9CI) (CA INDEX NAME)



IT **649740-29-4P**, 3-[4-(3-Fluorobenzoyloxy)phenyl]-2-methylacrylamide

649740-33-0P, 3-[4-(3-Fluorobenzyloxy)phenyl]-2,N-dimethylacrylamide 649740-53-4P, 3-[4-(3-Fluorobenzyloxy)phenyl]but-2-enoic acid methylamide
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (preparation of cinnamide derivs. useful as MAO-B inhibitors)
 IT 649740-34-1P, 3-[4-(3-Fluorobenzyloxy)phenyl]-2-methylpropionamide
 649740-35-2P, 3-[4-(3-Fluorobenzyloxy)phenyl]-2,N-dimethylpropionamide 649740-36-3P, 3-[4-(3-Fluorobenzyloxy)phenyl]propynoic acid amide 649740-40-9P, 1-[4-(3-Fluorobenzyloxy)phenyl]propynoic acid methylamide
 649740-42-1P, 3-[4-(3-Fluorobenzyloxy)phenyl]-N-methylacrylamide
 649740-45-4P, 3-[4-(3-Fluorobenzyloxy)phenyl]acrylamide
 649740-46-5P, N-Methyl-3-[4-(4-trifluoromethylbenzyloxy)phenyl]acrylamide 649740-49-8P, 3-[4-(4-Fluorobenzyloxy)phenyl]-N-methylacrylamide 649740-50-1P, 3-[4-(3-Cyanobenzyloxy)phenyl]-N-methylacrylamide 649740-51-2P, N-Methyl-3-[4-(4-methylbenzyloxy)phenyl]acrylamide 649740-52-3P, 3-[4-(3-Methoxybenzyloxy)phenyl]-N-methylacrylamide 649740-55-6P, 3-[4-(3-Fluorobenzyloxy)phenyl]-N-methylbutyramide
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of cinnamide derivs. useful as MAO-B inhibitors)
 RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d all hitstr l18 tot

L18 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN
 AN 1995:609463 HCAPLUS
 DN 123:313105
 ED Entered STN: 14 Jun 1995
 TI Solid phase synthesis of aryl ethers via the Mitsunobu reaction
 AU Rano, Thomas A.; Chapman, Kevin T.
 CS Dep. Mol. Design Diversity, Merck Res. Lab., Rahway, NJ, 07065, USA
 SO Tetrahedron Letters (1995), 36(22), 3789-92
 CODEN: TELEAY; ISSN: 0040-4039
 PB Elsevier
 DT Journal
 LA English
 CC 21-2 (General Organic Chemistry)
 AB A procedure for the preparation of aryl ethers on a solid support employing the Mitsunobu reaction is described. Either polymer bound phenols or benzyl alcs. react rapidly and cleanly with TMAD/Bu3P and the appropriate electrophile/nucleophile to provide the aryl ether in excellent yield and purity after cleavage from the solid support.
 ST solid phase synthesis aryl ether; Mitsunobu reaction solid phase synthesis
 IT Merrifield synthesis
 Polymer-supported reagents
 (solid phase synthesis of aryl ethers via the Mitsunobu reaction)
 IT Etherification
 (Mitsunobu, solid phase synthesis of aryl ethers via the Mitsunobu reaction)
 IT Ethers, preparation
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (aryl, solid phase synthesis of aryl ethers via the Mitsunobu reaction)
 IT 100-02-7, 4-Nitrophenol, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(attempted reaction; solid phase synthesis of aryl ethers via the Mitsunobu reaction)

IT 51-67-2, Tyramine 71-41-0, 1-Pentanol, reactions 79-08-3, Bromoacetic acid 90-43-7, o-Phenylphenol 95-48-7, o-Methylphenol, reactions 99-76-3, p-Methoxycarbonylphenol 103-82-2, Phenylacetic acid, reactions 106-41-2, p-Bromophenol 106-44-5, p-Methylphenol, reactions 107-06-2, EDC, reactions 108-95-2, Phenol, reactions 121-33-5 150-76-5, p-Methoxyphenol 501-97-3, 3-(4-Hydroxyphenyl)propionic acid 576-26-1, 2,6-Dimethylphenol 603-35-0, Triphenylphosphine, reactions 767-00-0, p-Cyanophenol 831-82-3, p-Phenoxyphenol 873-75-6, p-Bromobenzyl alcohol 998-40-3, Tributylphosphine 1972-28-7 2446-83-5 3006-96-0, 4-(Hydroxymethyl)benzoic acid 3360-41-6, 4-Phenylbutanol 6908-41-4, p-(Methoxycarbonyl)benzyl alcohol 10465-78-8, N,N,N',N'-Tetramethylazodicarboxamide 10465-81-3, 1,1'-(Azodicarbonyl)dipiperidine 158454-40-1, Tentagel SRAM Fmoc 162356-92-5

RL: RCT (Reactant); RACT (Reactant or reagent)

(solid phase synthesis of aryl ethers via the Mitsunobu reaction)

IT 501-97-3DP, 3-(4-Hydroxyphenyl)propionic acid, TentaGel S RAM resin-bound 3006-96-0DP, 4-(Hydroxymethyl)benzoic acid, TentaGel S RAM resin-bound 158454-40-1DP, Tentagel SRAM, coupled products with 4-(hydroxymethyl)benzoic, 3-(4-hydroxyphenyl)propionic acid, and tyramine 169836-45-7DP, TentaGel S RAM resin-bound

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(solid phase synthesis of aryl ethers via the Mitsunobu reaction)

IT 169836-27-5P 169836-28-6P 169836-29-7P 169836-30-0P 169836-31-1P
169836-32-2P 169836-33-3P 169836-34-4P 169836-35-5P 169836-36-6P
169836-37-7P 169836-38-8P 169836-40-2P 169836-41-3P
169836-42-4P 169836-44-6P 169836-46-8P

RL: SPN (Synthetic preparation); PREP (Preparation)

(solid phase synthesis of aryl ethers via the Mitsunobu reaction)


IT **169836-37-7P**

RL: SPN (Synthetic preparation); PREP (Preparation)

(solid phase synthesis of aryl ethers via the Mitsunobu reaction)

RN 169836-37-7 HCAPLUS

CN Benzenepropanamide, 4-[(4-bromophenyl)methoxy]- (9CI) (CA INDEX NAME)



L18 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2004 ACS on STN

AN 1991:449059 HCAPLUS

DN 115:49059

ED Entered STN: 10 Aug 1991

TI Preparation of benzenealkanamines and analogs as monoamine oxidase inhibitors

IN Renaut, Patrice; Bellamy, Francois; Boucher, Thierry

PA Fournier Innovation et Synergie, Fr.

SO Fr. Demande, 86 pp.

CODEN: FRXXBL

DT Patent

LA French



IC ICM A61K031-085

ICS A61K031-165; C07C043-174; C07C093-00; C07C043-00

CC 25-4 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)
Section cross-reference(s): 1

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	FR 2645019	A1	19901005	FR 1989-4139	19890330 <--
	WO 9011997	A2	19901018	WO 1990-FR209	19900328 <--
	WO 9011997	A3	19901115		
	W: CA, JP, US				
	RW: AT, BE, CH, DE, DK, ES, FR, GB, IT, LU, NL, SE				
	EP 477184	A1	19920401	EP 1990-906244	19900328 <--
	R: AT, BE, CH, DE, DK, ES, FR, GB, IT, LI, LU, NL, SE				
PRAI	FR 1989-4139		19890330 <--		
	WO 1990-FR209		19900328 <--		
OS	MARPAT 115:49059				
GI					



AB The title compds. I [R = halo, alkoxy, cyano, NO₂; X = (CH₂)_uO; u = 1 or 2; Y = bond, O, CONH, etc.; n = 0-4; p = 0 or 1; Z = OR₃, NR₁R₂; a proviso is given; R₃ = H, alkyl, COZ₁; Z₁ = alkyl; R₁, R₂ = H, alkyl, (CH₂)_vCH₂OH; v = 1-3; NR₁R₂ = heterocyclyl moiety which may contain a second heteroatom] were prepared A mixture of N-[1-[4-(3-chlorobenzoyloxy)phenyl]ethyl]formamide and LiAlH₄ in ether was refluxed for 1 h to give, after workup and treatment with maleic acid, amine II maleate, which in vitro exhibited IC₅₀ of 7 .times. 10⁻⁵ mol against monoamine oxidase A.

ST benzenealkanamine prepn monoamine oxidase inhibitor

IT Antidepressants

Nervous system agents
(benzenealkanamines and analogs)

IT 9001-66-5

RL: RCT (Reactant); RACT (Reactant or reagent)
(inhibitors of, benzenealkanamines as)

IT 39742-53-5P 59067-44-6P 79615-76-2P 84403-77-0P 124933-30-8P
134561-34-5P 134561-35-6P 134561-36-7P 134561-37-8P 134561-38-9P
134561-39-0P 134561-40-3P 134561-41-4P 134561-42-5P 134561-43-6P
134561-44-7P 134561-45-8P 134561-46-9P 134561-47-0P 134561-48-1P
134561-49-2P 134561-50-5P 134561-51-6P 134561-52-7P
134561-53-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and reaction of, in preparation of monoamine oxidase inhibitor)

IT 59067-41-3P 84403-72-5P 124933-12-6P 124933-21-7P 134560-60-4P
134560-61-5P 134560-62-6P 134560-63-7P 134560-64-8P 134560-65-9P
134560-66-0P 134560-67-1P 134560-68-2P 134560-69-3P 134560-70-6P
134560-71-7P 134560-72-8P 134560-73-9P 134560-74-0P 134560-75-1P
134560-76-2P 134560-77-3P 134560-78-4P 134560-79-5P 134560-80-8P

134560-81-9P 134560-82-0P 134560-83-1P 134560-84-2P 134560-85-3P
 134560-86-4P 134560-87-5P 134560-88-6P 134560-89-7P 134560-90-0P
 134560-91-1P 134560-92-2P 134560-93-3P 134560-94-4P 134560-95-5P
 134560-96-6P 134560-97-7P 134560-98-8P 134560-99-9P 134561-00-5P
 134561-01-6P 134561-02-7P 134561-03-8P 134561-04-9P 134561-05-0P
 134561-06-1P 134561-07-2P 134561-08-3P 134561-09-4P 134561-10-7P
 134561-11-8P 134561-12-9P 134561-13-0P 134561-14-1P 134561-15-2P
 134561-16-3P 134561-17-4P 134561-18-5P 134561-19-6P 134561-20-9P
 134561-21-0P 134561-22-1P 134561-23-2P 134561-24-3P 134561-25-4P
 134561-26-5P 134561-27-6P 134561-28-7P 134561-29-8P 134561-30-1P
 134561-31-2P 134561-32-3P 134561-33-4P 134591-54-1P 134591-55-2P
 134685-65-7P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of, as monoamine oxidase inhibitor)

IT 57-57-8, .beta.-Propiolactone 99-76-3, Methyl 4-hydroxybenzoate
 99-93-4, 4-Acetylphenol 104-83-6, 4-Chlorobenzyl chloride 107-15-3,
 1,2-Ethanediamine, reactions 123-31-9, Hydroquinone, reactions
 352-11-4, 4-Fluorobenzyl chloride 456-42-8, 3-Fluorobenzyl chloride
 501-94-0 501-97-3 506-59-2, Dimethylamine hydrochloride 611-19-8,
 2-Chlorobenzyl chloride 619-23-8, 3-Nitrobenzyl chloride 620-20-2,
 3-Chlorobenzyl chloride 623-05-2 705-29-3, 3-(Trifluoromethyl)benzyl
 chloride 824-98-6 2002-24-6 3282-30-2 3303-84-2 5182-44-5
 5471-51-2 6091-44-7, Piperidine hydrochloride 10024-89-2, Morpholine
 hydrochloride 10210-17-0 57181-88-1 59067-43-5 64407-07-4
 66265-99-4 86223-05-4

RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, in preparation of monoamine oxidase inhibitor)


IT 134561-49-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)

(preparation and reaction of, in preparation of monoamine oxidase inhibitor)

RN 134561-49-2 HCAPLUS

CN Benzenepropanamide, 4-[(3-chlorophenyl)methoxy]-N-ethyl- (9CI) (CA INDEX
 NAME)



=> b uspatall

FILE 'USPATFULL' ENTERED AT 09:24:12 ON 22 JUL 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 09:24:12 ON 22 JUL 2004

CA INDEXING COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

=> d bib abs fhitrn 126

L26 ANSWER 1 OF 1 USPATFULL on STN

AN 2004:45102 USPATFULL

TI 3-Phenyl-propionamido, 3-phenyl-acrylamido and 3-phenyl-propynamido
 derivatives

IN Jolidon, Synese, Blauen, SWITZERLAND

Rodriguez Sarmiento, Rosa Maria, Basel, SWITZERLAND

Thomas, Andrew William, Birsfelden, SWITZERLAND

Wostl, Wolfgang, Grenzach-Wyhlen, GERMANY, FEDERAL REPUBLIC OF

Wylser, Rene, Zuerich, SWITZERLAND

PI US 2004034096 A1 20040219
 AI US 2003-613785 A1 20030703 (10)
 PRAI EP 2002-15583 20020715
 DT Utility
 FS APPLICATION
 LREP HOFFMANN-LA ROCHE INC., PATENT LAW DEPARTMENT, 340 KINGSLAND STREET,
 NUTLEY, NJ, 07110
 CLMN Number of Claims: 25
 ECL Exemplary Claim: 1
 DRWN No Drawings
 LN.CNT 939

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The invention relates to 3-phenyl-propionamido, 3-phenyl-acrylamido and 3-phenyl-propynamido derivatives, for example, derivatives of the formula ##STR1##

wherein A is selected from ##STR2##


R.sup.1, R.sup.3, R.sup.4, R.sup.5, R.sup.6, R.sup.7, R.sup.21, R.sup.22, R.sup.23, R.sup.24, and n are as defined herein or pharmaceutically acceptable salts thereof. The invention also relates to processes for preparation of such compounds, compositions containing them, and the use of such derivatives as MAO-B inhibitors. The invention further relates to methods for treating or preventing Alzheimer's disease and senile dementia by administering compounds of the invention.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

IT 649740-29-4P, 3-[4-(3-Fluorobenzyloxy)phenyl]-2-methylacrylamide (preparation of cinnamide derivs. useful as MAO-B inhibitors)

RN 649740-29-4 USPATFULL

CN 2-Propenamide, 3-[4-[(3-fluorophenyl)methoxy]phenyl]-2-methyl- (9CI) (CA INDEX NAME)



IT 649740-29-4P, 3-[4-(3-Fluorobenzyloxy)phenyl]-2-methylacrylamide

649740-33-0P, 3-[4-(3-Fluorobenzyloxy)phenyl]-2,N-dimethylacrylamide 649740-53-4P, 3-[4-(3-Fluorobenzyloxy)phenyl]but-2-enoic acid methylamide (preparation of cinnamide derivs. useful as MAO-B inhibitors)

IT 649740-34-1P, 3-[4-(3-Fluorobenzyloxy)phenyl]-2-methylpropionamide

649740-35-2P, 3-[4-(3-Fluorobenzyloxy)phenyl]-2,N-dimethylpropionamide 649740-36-3P, 3-[4-(3-Fluorobenzyloxy)phenyl]propynoic acid amide 649740-40-9P, 1-[4-(3-Fluorobenzyloxy)phenyl]propynoic acid methylamide 649740-42-1P, 3-[4-(3-Fluorobenzyloxy)phenyl]-N-methylacrylamide 649740-45-4P, 3-[4-(3-Fluorobenzyloxy)phenyl]acrylamide 649740-46-5P, N-Methyl-3-[4-(4-trifluoromethylbenzyloxy)phenyl]acrylamide 649740-49-8P, 3-[4-(4-Fluorobenzyloxy)phenyl]-N-methylacrylamide 649740-50-1P, 3-[4-(3-Cyanobenzyloxy)phenyl]-N-methylacrylamide 649740-51-2P, N-Methyl-3-[4-(4-

methylbenzyloxy)phenyl]acrylamide 649740-52-3P,
3-[4-(3-Methoxybenzyloxy)phenyl]-N-methylacrylamide 649740-55-6P
, 3-[4-(3-Fluorobenzyloxy)phenyl]-N-methylbutyramide
(preparation of cinnamide derivs. useful as MAO-B inhibitors)

=> b beilstein

FILE 'BEILSTEIN' ENTERED AT 09:24:48 ON 22 JUL 2004
COPYRIGHT (c) 2004 Beilstein-Institut zur Foerderung der Chemischen Wissenschaften
licensed to Beilstein GmbH and MDL Information Systems GmbH

FILE RELOADED ON OCTOBER 20, 2002

FILE LAST UPDATED ON JUNE 15, 2004

FILE COVERS 1771 TO 2003.

*** FILE CONTAINS 8,997,153 SUBSTANCES ***

>>> PLEASE NOTE: Reaction data and substance data are stored in
separate documents and can not be searched together in one
query.


Reaction data for BEILSTEIN compounds may be displayed
immediately with the display codes PRE (preparations) and REA
(reactions). A substance answer set retrieved after the search
for a chemical name, a molecular formula or a structure search
for example can be restricted to compounds with available
reaction information by concatenation with PRE/FA, REA/FA or
more general with RX/FA. The BEILSTEIN Registry Number (BRN)
is the link between a BEILSTEIN compound and belonging reactions.
For more detailed reaction searches BRNs can be selected from
substance answer sets and searched in the next step as reaction
partner BRNs - Reactant (RX.RBRN) or Product BRN (RX.PBRN).
After a search for reaction details substance documents
associated with reactants or products may be retrieved by
searching RX.PBRNs or RX.RBRNs as BRNs. <<<

>>> FOR SEARCHING PREPARATIONS SEE HELP PRE <<<

* PLEASE NOTE THAT THERE ARE NO FORMATS FREE OF COST. *
* SET NOTICE FEATURE: THE COST ESTIMATES CALCULATED FOR SET NOTICE *
* ARE BASED ON THE HIGHEST PRICE CATEGORY. THEREFORE; THESE *
* ESTIMATES MAY NOT REFLECT THE ACTUAL COSTS. *
* FOR PRICE INFORMATION SEE HELP COST *

=> d que stat 130

L1 STR



VAR G1=NH2/12

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

GGCAT IS MCY UNS AT 1

DEFAULT ECLEVEL IS LIMITED

ECOUNT IS E6 C AT 1




GRAPH ATTRIBUTES:


RSPEC 16

NUMBER OF NODES IS 16

STEREO ATTRIBUTES: NONE

L3 STR





Page 2-A

VAR G1=NH2/12

VAR G2=AK/CN/21/X/23/26/29/32/35/64/65/66/67/68

VAR G3=H/X

NODE ATTRIBUTES:

CONNECT IS M1 RC AT 23

CONNECT IS M1 RC AT 26

CONNECT IS M1 RC AT 29

CONNECT IS M1 RC AT 32

CONNECT IS M1 RC AT 35

CONNECT IS M1 RC AT 44

CONNECT IS M1 RC AT 47

CONNECT IS M1 RC AT 50

CONNECT IS M1 RC AT 54

CONNECT IS M1 RC AT 59

DEFAULT MLEVEL IS ATOM

GGCAT IS MCY UNS AT 1

DEFAULT ECLEVEL IS LIMITED

ECOUNT IS E6 C AT 1

GRAPH ATTRIBUTES:

RSPEC 16

NUMBER OF NODES IS 67

STEREO ATTRIBUTES: NONE

L29 1982 SEA FILE=BEILSTEIN SSS FUL L1

L30 1 SEA FILE=BEILSTEIN SUB=L29 CSS FUL L3

100.0% PROCESSED 1982 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.07


=> d all 130

L30 ANSWER 1 OF 1 BEILSTEIN COPYRIGHT 2004 BEILSTEIN MDL on STN

Beilstein Records (BRN):	7214090
Chemical Name (CN):	3-<4-(4-bromo-benzyloxy)-phenyl>-propionamide
Autonom Name (AUN):	3-<4-(4-bromo-benzyloxy)-phenyl>-propionamide
Molec. Formula (MF):	C16 H16 Br N O2
Molecular Weight (MW):	334.21
Lawson Number (LN):	11704, 5229
Compound Type (CTYPE):	isocyclic

Searched by Noble Jarrell

Constitution ID (CONSID): 6200846
 Tautomer ID (TAUTID): 6846268
 Beilstein Citation (BSO): 6-10
 Entry Date (DED): 1995/10/31
 Update Date (DUPD): 1996/08/09



Field Availability:

Code	Name	Occurrence
BRN	Beilstein Records	1
CN	Chemical Name	1
AUN	Autonomname	1
MF	Molecular Formula	1
FW	Formular Weight	1
LN	Lawson Number	2
CTYPE	Compound Type	1
CONSID	Constitution ID	1
TAUTID	Tautomer ID	1
BSO	Beilstein Citation	1
ED	Entry Date	1
UPD	Update Date	1

This substance also occurs in Reaction Documents:

Code	Name	Occurrence
RX	Reaction Documents	1
RXPRO	Substance is Reaction Product	1

Reaction:

RX

Reaction ID (.ID): 4160261
 Reactant BRN (.RBRN): 2209841, 1931620
 Reactant (.RCT): 3-(4-hydroxy-phenyl)-propionic acid,
 4-bromo-benzyl alcohol
 Product BRN (.PBRN): 7214090
 Product (.PRO): 3-<4-(4-bromo-benzyloxy)-phenyl>-
 propionamide
 No. of React. Details (.NVAR): 1

Reaction Details:

RX

Reaction RID (.RID): 4160261.1
Reaction Classification (.CL): Preparation
Reagent (.RGT): 1.) Rapp TentaGel S RAM Fmoc resin,
20percent piperidine, 2.)
N,N,N',N'-tetramethylazodicarboxamide,
Bu3P, 3.) 90percent TFA
Other Conditions (.COND): 1.) DMF, EDC, 2 h, 2.) THF, CH2Cl2, room
temp., 45-60 min, 3.) H2O
Note(s) (.COM): Yield given. Multistep reaction
Reference(s):
1. Rano, Thomas A.; Chapman, Kevin T., Tetrahedron Lett., CODEN: TELEAY,
36(22), <1995>, 3789-3792; BABS-5952354

=> b home

FILE 'HOME' ENTERED AT 09:25:18 ON 22 JUL 2004

=>

=> b reg

FILE 'REGISTRY' ENTERED AT 10:06:29 ON 22 JUL 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 21 JUL 2004 HIGHEST RN 714195-59-2
DICTIONARY FILE UPDATES: 21 JUL 2004 HIGHEST RN 714195-59-2

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 6, 2004


Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> d ide can l5 tot

L5 ANSWER 1 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
RN 649740-55-6 REGISTRY
CN Benzenepropanamide, 4-[(3-fluorophenyl)methoxy]-N,.beta.-dimethyl- (9CI)
(CA INDEX NAME)
OTHER NAMES:
CN 3-[4-(3-Fluorobenzyloxy)phenyl]-N-methylbutyramide
FS 3D CONCORD
MF C18 H20 F N O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES
(Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 2 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
RN 649740-53-4 REGISTRY

Searched by Noble Jarrell

CN 2-Butenamide, 3-[4-[(3-fluorophenyl)methoxy]phenyl]-N-methyl- (9CI) (CA
INDEX NAME)

OTHER NAMES:

CN 3-[4-(3-Fluorobenzyloxy)phenyl]but-2-enoic acid methylamide

FS 3D CONCORD


MF C18 H18 F N O2

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT
(Reactant or reagent); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 3 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN

RN 649740-52-3 REGISTRY

CN 2-Propenamide, 3-[4-[(3-methoxyphenyl)methoxy]phenyl]-N-methyl- (9CI) (CA
INDEX NAME)

OTHER NAMES:

CN 3-[4-(3-Methoxybenzyloxy)phenyl]-N-methylacrylamide

FS 3D CONCORD


MF C18 H19 N O3

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES
(Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 4 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN

RN 649740-51-2 REGISTRY

Searched by Noble Jarrell

CN 2-Propenamide, N-methyl-3-[4-[(4-methylphenyl)methoxy]phenyl]- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN N-Methyl-3-[4-(4-methylbenzyloxy)phenyl]acrylamide

FS 3D CONCORD


MF C18 H19 N O2

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 5 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN

RN 649740-50-1 REGISTRY

CN 2-Propenamide, 3-[4-[(3-cyanophenyl)methoxy]phenyl]-N-methyl- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 3-[4-(3-Cyanobenzyloxy)phenyl]-N-methylacrylamide

FS 3D CONCORD


MF C18 H16 N2 O2

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156


L5 ANSWER 6 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN

RN 649740-49-8 REGISTRY

CN 2-Propenamide, 3-[4-[(4-fluorophenyl)methoxy]phenyl]-N-methyl- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 3-[4-(4-Fluorobenzyloxy)phenyl]-N-methylacrylamide
 FS 3D CONCORD
 MF C17 H16 F N O2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 7 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 649740-46-5 REGISTRY
 CN 2-Propenamide, N-methyl-3-[4-[[4-(trifluoromethyl)phenyl]methoxy]phenyl]- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN N-Methyl-3-[4-(4-trifluoromethylbenzyloxy)phenyl]acrylamide
 FS 3D CONCORD
 MF C18 H16 F3 N O2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


REFERENCE 1: 140:128156

L5 ANSWER 8 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 649740-45-4 REGISTRY
 CN 2-Propenamide, 3-[4-[(3-fluorophenyl)methoxy]phenyl]- (9CI) (CA INDEX NAME)

OTHER NAMES:

CN 3-[4-(3-Fluorobenzyloxy)phenyl]acrylamide

FS 3D CONCORD
 MF C16 H14 F N O2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 9 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 649740-42-1 REGISTRY
 CN 2-Propenamide, 3-[4-[(3-fluorophenyl)methoxy]phenyl]-N-methyl- (9CI) (CA INDEX NAME)
 OTHER NAMES:
 CN 3-[4-(3-Fluorobenzoyloxy)phenyl]-N-methylacrylamide
 FS 3D CONCORD
 MF C17 H16 F N O2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 10 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 649740-40-9 REGISTRY
 CN 2-Propynamide, 3-[4-[(3-fluorophenyl)methoxy]phenyl]-N-methyl- (9CI) (CA INDEX NAME)
 OTHER NAMES:
 CN 1-[4-(3-Fluorobenzoyloxy)phenyl]propynoic acid methylamide

FS 3D CONCORD
MF C17 H14 F N O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 11 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
RN 649740-36-3 REGISTRY
CN 2-Propynamide, 3-[4-[(3-fluorophenyl)methoxy]phenyl] - (9CI) (CA INDEX NAME)
OTHER NAMES:
CN 3-[4-(3-Fluorobenzoyloxy)phenyl]propynoic acid amide
FS 3D CONCORD
MF C16 H12 F N O2
SR CA
LC STN Files: CA, CAPLUS, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 12 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
RN 649740-35-2 REGISTRY
CN Benzenepropanamide, 4-[(3-fluorophenyl)methoxy]-N,.alpha.-dimethyl- (9CI) (CA INDEX NAME)
OTHER NAMES:
CN 3-[4-(3-Fluorobenzoyloxy)phenyl]-2,N-dimethylpropionamide
FS 3D CONCORD

MF C18 H20 F N O2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 13 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 649740-34-1 REGISTRY
 CN Benzenepropanamide, 4-[(3-fluorophenyl)methoxy]-.alpha.-methyl- (9CI) (CA INDEX NAME)
 OTHER NAMES:
 CN 3-[4-(3-Fluorobenzoyloxy)phenyl]-2-methylpropionamide
 FS 3D CONCORD
 MF C17 H18 F N O2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); USES (Uses)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 14 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 649740-33-0 REGISTRY
 CN 2-Propenamide, 3-[4-[(3-fluorophenyl)methoxy]phenyl]-N,2-dimethyl- (9CI) (CA INDEX NAME)
 OTHER NAMES:
 CN 3-[4-(3-Fluorobenzoyloxy)phenyl]-2,N-dimethylacrylamide
 FS 3D CONCORD

MF C18 H18 F N O2
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT
 (Reactant or reagent); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156

L5 ANSWER 15 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 649740-29-4 REGISTRY
 CN 2-Propenamide, 3-[4-[(3-fluorophenyl)methoxy]phenyl]-2-methyl- (9CI) (CA
 INDEX NAME)

OTHER NAMES:

CN 3-[4-(3-Fluorobenzoyloxy)phenyl]-2-methylacrylamide

FS 3D CONCORD


MF C17 H16 F N O2

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT
 (Reactant or reagent); USES (Uses)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 140:128156


L5 ANSWER 16 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 477889-05-7 REGISTRY
 CN 2-Propenamide, 3-[4-[(4-bromophenyl)methoxy]phenyl]-N-(1-methylpropyl)-
 (9CI) (CA INDEX NAME)

FS 3D CONCORD

MF C20 H22 Br N O2


SR Chemical Library

LC STN Files: CHEMCATS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L5 ANSWER 17 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 169836-37-7 REGISTRY
 CN Benzenepropanamide, 4-[(4-bromophenyl)methoxy]- (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C16 H16 Br N O2
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA CAplus document type: Journal
 RL.NP Roles from non-patents: PREP (Preparation)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 123:313105

L5 ANSWER 18 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 134561-49-2 REGISTRY
 CN Benzenepropanamide, 4-[(3-chlorophenyl)methoxy]-N-ethyl- (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C18 H20 Cl N O2
 SR CA
 LC STN Files: CA, CAPLUS
 DT.CA CAplus document type: Patent
 RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

Searched by Noble Jarrell

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 115:49059

=> b home

FILE 'HOME' ENTERED AT 10:07:11 ON 22 JUL 2004

=>